

## Viedoc User Guide for eTMF Managers

15 Lessons ■ 15 from Viedoc System

### General

2 lessons



Overview of Viedoc eTMF 1.1



How to prepare for a regulatory inspection 1.2

### Quick guides

2 lessons



Quick guide for setting up Viedoc eTMF 2.1



Quick guide for preparing for regulatory inspections 2.2

### eTMF management

1 lessons



Managing Viedoc eTMF 3.1

### Viedoc Share for the eTMF Manager

1 lessons



Viedoc Share for the eTMF Manager 4.1

### Templates

5 lessons



Viedoc-provided templates 5.1



Customizing a template 5.2



Importing and exporting templates 5.3



Selecting a template 5.4



Managing templates 5.5

## TMF structure

2 lessons



Instantiating a structure

6.1



Editing a structure

6.2

## Settings

1 lessons



Configuring eTMF settings

7.1

## Use cases

1 lessons



eTMF access use cases

8.1



Overview of Viedoc eTMF

# Overview of Viedoc eTMF

Published by Viedoc System 2024-10-11

---

[1. Overview](#)

[2. User roles](#)

[3. Document statuses and actions](#)

[4. Permissions](#)

[4.1 The Viedoc eTMF Manager permissions](#)

[4.2 Viedoc TMF end user roles and permissions](#)

[4.2.1 eTMF user roles](#)

[4.2.2 eTMF permissions](#)

[5. Viedoc TMF views](#)

[5.3 TMF views for the eTMF Manager](#)

[5.4 TMF view for end users](#)

[5.5 TMF view for Archivers](#)

[6. eLearning](#)

---

## 1 Overview


Viedoc [eTMF](#) is a digital repository for capturing, managing, sharing, and storing essential documents for your clinical trial.

Viedoc TMF is based on the **TMF Reference Model** by the Drug Information Association ([DIA](#)). The TMF Reference Model is an industry consensus catalog of all TMF records. Using the TMF Reference Model ensures compatibility and interoperability with other clinical trial parties, such as CROs.

The TMF Reference Model includes documents in all different phases of a clinical trial:

- Before the start of the trial
- During the trial
- After study termination

The TMF Reference Model categorizes documents in zones, sections, and artifacts in a hierarchical structure.



The set of zones, sections, and artifacts included is defined in a template file that is maintained by the eTMF Manager.

The TMF can include both the Investigator Site File ([ISF](#)) and the sponsor TMF.

For portability reasons, the DIA TMF Reference Model is defined in an Excel file.

Viedoc eTMF also uses Excel files as templates for the eTMF structure.

---


## 2 User roles

In Viedoc Admin, the Study Manager assigns an eTMF Manager. For more information, see [Managing users](#).

The eTMF Manager can then map Viedoc user roles to eTMF user roles and permissions. For more information, see [Managing your Viedoc eTMF application](#).

## 3 Document statuses and actions

The following image shows the document version statuses and the actions that change the status of a document version. The initial status of a document when it is uploaded to Viedoc TMF is **Unpublished**.



If you edit the metadata for a document version that is **Unpublished** or **Awaiting review**, the document version status is not changed.

It is not possible to edit the metadata of a **Finalized** document. To make changes, a new version needs to be created.

**Note!** Different actions require different permissions, which means that they are performed by users with different roles.

## 4 Permissions

### 4.1 The Viedoc eTMF Manager permissions

The eTMF Manager has permissions to manage the eTMF application in Viedoc Admin and to manage templates in Viedoc eTMF.

### 4.2 Viedoc TMF end user roles and permissions

The user access to Viedoc TMF is determined by the assigned roles and permissions. The roles and permissions can work in combination or independently.

#### 4.2.1 eTMF user roles

These user roles are defined in the template, which is maintained by the eTMF Manager.

The end user role determines what kind of access a user has to artifact data (no access/read/write/review) on the different levels:

- Study/trial
- Country
- Site

#### 4.2.2 eTMF permissions

These permissions are defined in Viedoc and are assigned to the users by the eTMF Manager.

The eTMF permissions are:

- **Archive sponsor TMF**  
This permission gives the mapped user role access to the TMF Archive view and the ability to archive artifacts that are listed as Sponsor side (set in the **Edit artifact** window or in the template file on the sheet V 3.1.0, column M Sponsor Document). This is used for creating the main archive of the study documents.
- **Archive investigator TMF**  
This permission gives the mapped user role access to the TMF Archive view and the ability to archive artifacts that are listed as Investigator side (set in the **Edit artifact** window or in the template file on the sheet V 3.1.0, column N Investigator Document). This is used for creating/archiving an Investigator Site File.
- **Read-only TMF Admin**  
This permission gives the mapped user role the ability to inspect the structure, templates, and other settings in the TMF Admin view in read-only mode.  
A user with this permission can access the TMF Admin view and is able to:
  - View a selected/instantiated structure
  - Export templates and structure
  - View the settings tab
- **Read-only Trial Master File**  
A user role with this permission will gain read access to all the published documents in the Trial Master File view. If this permission is assigned in combination with an eTMF role, the **no access** permission, set in the template file for that specific role, will be overridden by **read** access by the system.
- **Download audit trail**  
A user role with this permission will be able to access the TMF Archive view and generate the complete audit trail report from there.
- **Manage drop zone**  
This permission gives the mapped user role access to manage the files in the shared drop zone.
- **Manage document sharing for Viedoc Clinic users**  
A user role with this permission can share documents with Viedoc Clinic users.
- **Manage document sharing for Viedoc Me users**  
A user role with this permission can share documents with Viedoc Me users.

**Note!** For more information about permissions and accesses, see [eTMF access use cases](#).

## 5 Viedoc TMF views


### 5.1 TMF views for the eTMF Manager

If you have the user role eTMF Manager or the permission Read-only TMF Admin, you have access to the TMF Admin view. In this view, the eTMF Manager can manage the eTMF templates, structure, and other eTMF settings.

If you have the user role eTMF Manager, a Viedoc Clinic role that is mapped to an eTMF role, and have the permission to Download audit trail report, you have access to three views of Viedoc eTMF: **TMF Admin**, **Trial Master File**, and **TMF Archive**.

- The **TMF Admin** view is where you manage the eTMF structure.
- The **Trial Master File** view is where you can access Viedoc eTMF as an end user.
- The **TMF Archive** view is where you can generate the complete audit trail report.

To toggle between the views, use the dropdown menu:



## 5.2 TMF view for end users


See [Introduction to Viedoc eTMF](#).

## 5.3 TMF view for Archivers

See [Complete audit trail report](#).

# 6 eLearning

In Viedoc eTMF, there is a link to the eLearning curriculum Viedoc User Guide for eTMF Managers.





How to prepare for a regulatory inspection

# How to prepare for a regulatory inspection

Published by Viedoc System 2024-10-10

---

## [1. Introduction](#)

## [2. Viedoc Inspection Readiness Packet](#)

[2.1 Documents included in VIRP:](#)

[2.2 Other resources](#)

## [3. Areas of responsibility](#)

[3.3 Viedoc responsibility](#)

[3.4 Sponsor/CRO responsibility](#)

## [4. What to do on the day of inspection](#)

[4.5 Viedoc Designer](#)

[4.6 Viedoc Logistics](#)

[4.7 Viedoc Admin](#)

[4.8 Viedoc eTMF](#)

[4.9 Viedoc Clinic](#)

## [5. Footnotes](#)

---

## 1 Introduction

It is important to be fully prepared for an inspection of relevant documentation about the EDC system used in a clinical trial. If the correct documentation is available for review by the regulatory authorities and certain validations have been performed, inspectors can then assess the systems used when collecting subject data in clinical trials.

There are also specific expectations that sponsors must comply with, depending on the regulatory body, European Medicines Agency ([EMA](#)) Food and Drug Administration ([FDA](#)) and the Japanese Pharmaceuticals and Medical Devices Agency ([PMDA](#)) even though these are similar in that they all expect the sponsor to have a complete understanding of the system. They also expect that the sponsor (or Contract Research Organization ([CRO](#)), if delegated) fully understands the functionality of the EDC system being used and can demonstrate this understanding and explain how the system has been validated.

---

## 2 Viedoc Inspection Readiness Packet

To assist in preparing for inspections, Viedoc has developed the Viedoc Inspection Readiness Packet ([VIRP](#)) which provides you with the information you need in order to fulfil regulatory expectations and requirements.

The VIRP is available for every release of Viedoc. The VIRP introduction describes the contents of VIRP in more detail, and also talks about additional documentation you should provide. The VIRP introduction is included in VIRP.

### 2.1 Documents included in VIRP:

- User Requirements Specification describing the epics and features, and listing the user stories included in the release
- Traceability Matrix detailing the testing performed for every requirement in the URS
- Validation summary report describing the validation activities performed for this release, and their result
- Release Notes describing the additions to Viedoc in the release
- Release Certificate verifying that we have followed our documented procedures during the implementation and associated activities for the release
- EDC Management Sheet for submissions to the PMDA
- Clinical Trial Cloud System Checklist

- Viedoc Impact Assessment documenting at a feature level the risks and potential consequences arising from the release of new and updated features in the release
- Acknowledgement Form describing what you need to review, and containing room for your signature as evidence that you have completed your review
- Table of Contents of applicable SOPs used by Viedoc Technologies in the production of this release
- An introduction describing the contents of the Viedoc Inspection Readiness Packet (VIRP)

## 2.2 Other resources

- eLearning: Viedoc also provides an eLearning lesson - [Inspection Readiness when Working in Viedoc](#), which describes in detail the information needed step-by-step, as well as having additional information about potential pitfalls, what happens when new functionality is introduced in a release, about backward compatibility and more.
- The Viedoc Release Binder. We also store a snapshot of the information in our development environment for each release. This information is included in the Release Binder for that release which is stored in SharePoint and can be shared with inspectors either in a webinar or onsite.

---

## 3 Areas of responsibility

When it comes to preparing for regulatory inspections, there are different areas of responsibility for the Sponsor/CRO and Viedoc.

### 3.1 Viedoc responsibility

The Sponsor/CRO should be able to rely on Viedoc standard qualification documentation as there are no sponsor or study-specific software modifications made to the standard product. The configuration of Viedoc for use in a study is done using only functionality that has been validated before being released to the study.

Each new Viedoc version is fully validated before release - which takes place every 6-8 weeks. These releases are installed on all production servers at the same time, meaning all customers and all studies are updated at the same time. Furthermore, we ensure that ongoing studies are not affected by fulfilling the following two requirements:

- The new release must be 100% backward compatible.
- Any new functionality in the release shall be disabled for ongoing studies by default.

### 3.2 Sponsor/CRO responsibility

Some areas and activities, however, remain the responsibility of the sponsor/CRO and should be documented:

- It is a Sponsor/CRO responsibility to validate the study configuration and confirm that the study has been set up in accordance with the study protocol. This validation should be documented.
- The different versions of systems used during the study and a synopsis of the differences between the versions should be stored as part of the study record in the sponsor (e)TMF.
- A risk-based assessment documenting the decision to rely on VIRP should be carried out.
- A checklist of the required functions (such as randomization module, patient ePRO module, coding module) for your trial on our epic<sup>1</sup> level, and where necessary, individual features<sup>1</sup>.

---

## 4 What to do on the day of inspection

When the inspector visits, they must have access to Viedoc. Regulatory inspectors have the legal right to view all data in the study – even patient data and hidden (anonymized) items in the audit trail. The study manager should invite the inspector to the Viedoc user role Regulatory Inspector when they arrive.

Follow these steps to ensure that the inspector has all the correct access permissions in Viedoc:



## 4.1 Viedoc Designer

This step is performed by the **Designer**.

In Viedoc Designer, on the **Roles** page, configure the Regulatory Inspector user role and make sure it is turned on.

To allow the Regulatory Inspector access to study data, their role must be configured with Read-only for form data and View anonymized data and blinded data permissions on the **Roles** page.

## 4.2 Viedoc Logistics

If the study uses Viedoc Logistics, the following role permissions in Logistics Rights for the Regulatory Inspector role must be configured on the **Roles** page:

- View IP ([Investigational Product](#)) on study level,
- View IP on site level
- View subject ID when allocated
- View blinded info (e.g. Active/Placebo).

See the image below and [Configuring roles](#).

The screenshot shows the 'Edit role' interface for the 'Regulatory Inspector' role. The 'Name' field is set to 'Regulatory Inspector' and the 'Status' is 'On'. The 'Description' field is empty. The 'Manage rights in this role' section includes a 'Special' section with 'User can only view form data (this overrides all edit permissions)' checked. The 'CRF Rights' section includes 'View anonymized data' checked. The 'Logistics Rights' section includes 'View IP on study level', 'View IP on site level', 'View Subject Id when allocated', and 'View blinded info (e.g. Active/Placebo)' checked.

**Note!** Should the inspector also require access to Viedoc Admin or Viedoc Designer, and the study is managed by a Viedoc representative, you are always welcome to contact your Viedoc representative if you need assistance.

## 4.3 Viedoc Admin

These steps are performed by the **Study manager**.

In Viedoc Admin, the study manager invites the Regulatory Inspector to the study for all sites. See [Managing users](#).

- The inspector should also be invited to the study with the role of Unblinded Statistician, in order to have access to the randomization lists and be able to download them in Viedoc Admin.

**Note!** This role is only used for randomized studies, when it is necessary to have control over who has access to and can manage the randomization lists.

- The inspector should also be able to access the eLearning. There is a requirement for customers to be able to present to regulatory inspectors, on request, the version of the eLearning used to train staff during the course of the study.











The Documentation tab under Study settings provides a list of all documentation and training sections.

## Study settings

Here you can set settings for study.

Settings   Date & time format   Medical Coding   Import ODM File   **Documentation**

7 active - 0 archived sections + Add a new section

Section	Target sites	Mandatory for	Optional for	
 Study Protocol	All sites	All roles		
 CRF Completion Guidelines	All sites	Monitor	Investigator	
 Viedoc User Guide for Site Users	Demo Site		Investigator	
 Viedoc User Guide for Monitors	Demo Site		Monitor	
 Viedoc User Guide for Data Managers	Demo Site		Data Manager	

The Regulatory Inspector role should be granted access to the relevant eLearning documentation on the Study settings page.

## Edit 'Viedoc User Guide for Site Users'

Manage training section settings here



<https://help.viedoc.net/c/94d6f0>

Section last modified 2021-12-09T15:44:21 by

Archive

### Section URL or file

### Section title

### Priority

/ 6

### Description

### Target sites

### Require signing for following roles

Require re-signing after # of days

### Optional for following roles

See the Viedoc Admin User Guide [Setting up user documentation and training](#)

## 4.4 Viedoc eTMF

If the study uses Viedoc eTMF, the study manager/eTMF manager should map the Regulatory Inspector study role to an eTMF role with at least the following permissions: Read-only TMF Admin, Read-only Trial Master File and Download audit trail.

**eTMF**  
Manage your eTMF application.

**Study eTMF**  
✓ Study eTMF license is valid

Enable  ON

Launch study eTMF

**eTMF roles mapping**  
Map each Study role to one or more eTMF roles and permissions, if applicable.

Study role	eTMF roles and permissions
Investigator	Site staff × Sponsor study × Sponsor country × Sponsor site × Reviewer × Archive sponsor TMF × Archive investigator TMF × Download audit trail × Manage drop zone ×
Monitor	
Project Manager	
Regulatory Inspector	Read-only TMF Admin × Read-only Trial Master File × Download audit trail ×
Site Reviewer	

See Viedoc User Guide for eTMF Managers - [Managing Viedoc eTMF](#) - Mapping user roles.

## 4.5 Viedoc Clinic

These steps are performed by the Regulatory Inspector.

The regulatory inspector accepts the invitation and activates their account - see [Viedoc User Guide for Site Users: Managing your Viedoc account](#)

The inspector can now launch Viedoc Clinic and the Viedoc eTMF from the [landing page](#).

## 5 Footnotes

<sup>1</sup> At Viedoc, we publish our User Requirements Specification in an easy-to-understand format made up of epics, features, and user stories.

- Epics describe an overall module within Viedoc, such as audit trail, ePRO, and medical coding.
- Features describe a given functionality in more detail, such as Viedoc Connect, form link items, and email alerts.
- User stories are the detailed, broken-down requirements used by the system developers when designing, implementing, and validating Viedoc.




Quick guide for setting up Viedoc eTMF

# Quick guide for setting up Viedoc eTMF

Published by Viedoc System 2023-04-25

---

- [1. Get a license](#)
- [2. Publish a design](#)
- [3. Assign the design to production sites](#)
- [4. Invite an eTMF Manager](#)
- [5. Enable eTMF](#)
- [6. Map study roles to eTMF roles and permissions](#)
- [7. Launch eTMF in admin mode](#)
- [8. Customize the template](#)
  - [8.1 Baseline template](#)
  - [8.2 Existing templates](#)
- [9. Import the template](#)
- [10. Instantiate the template](#)
- [11. Launch eTMF in production mode](#)



## 1 Get a license

Make sure you have a valid license for using Viedoc eTMF.

## 2 Publish a design

This step is performed by the **Designer**.

**Note!** To publish the CRF design, you only need to have the roles configured and enabled, and a form added to the start event in your workflow (the form can be without any items at this stage). The actual CRF design can be added in subsequent versions.

See [Publishing a study design](#).

### 3 Assign the design to production sites

This step is performed by the **Study Manager**.

See [Assigning a study design](#).

---

### 4 Invite an eTMF Manager

This step is performed by the **Study Manager**.


See [Managing users](#).

---


### 5 Enable eTMF

This step is performed by the **eTMF Manager**.

- 1 In the study details page, click the tools symbol in the **eTMF** area:




- 2 Toggle the **Enable** switch to **ON** in the eTMF settings dialog:



### 6 Map study roles to eTMF roles and permissions

This step is performed by the **eTMF Manager**.

- 1 In the **eTMF roles mapping** area, select the eTMF roles and permissions that you want to map to the Viedoc study roles:




- 2 Select **Save changes**.


## 7 Launch eTMF in admin mode

This step is performed by the **eTMF Manager**.

- 1 On the study details page, select the tools symbol in the **eTMF** area:



- 2 Select **Launch study eTMF**:



## 8 Customize the template

This step is performed by the **eTMF Manager**.

## 8.1 Baseline template

The first time you set up your eTMF application, you begin with a baseline template provided by Viedoc. This template is not intended to be used as it is, but to be adapted to the needs of your organization. See [Viedoc-provided templates](#) to download the template.


Once customized, import the template to eTMF, see [import the template](#).

## 8.2 Existing templates


Imported templates can be customized to fit your study needs.

To export a template for customization:


- 1 In Viedoc eTMF, select the **TMF Admin** view:



- 2 Select the **Templates** tab:



- 3 Select **Export** for the template you want to customize. The template is downloaded in Excel format.



There are two types of templates:

- **Organization template** - available for all studies within your organization
- **Study template** - available only for the specific study

It is recommended that you adapt the eTMF template to your specific documentation landscape. For example, you can customize, add, or delete zones, sections, and artifacts.


See also [Customizing a template](#).

## 9 Import the template


This step is performed by the **eTMF Manager**.



- 1 Select **Import** in Organization templates or Study templates, depending on what type of template you're importing.



- 2 Once imported, select your template to make it available in the **TMF structure**.



## 10 Instantiate the template

This step is performed by the **eTMF Manager**.

On the **TMF structure** tab, select the **Instantiate** button for the template.




The template is now applied to the trial and the eTMF structure is available for end users to work with.

## 11 Launch eTMF in production mode

This step is performed by a **Clinic user** with a mapped eTMF role.

Select the **eTMF** icon on the Viedoc landing page:



The eTMF application opens.



Quick guide for preparing for regulatory inspections

# Quick guide for preparing for regulatory inspections

Published by Viedoc System 2023-04-25

- [1. Configure the role](#)
- [2. Configure Logistics permissions if used](#)
- [3. Invite a Regulatory Inspector](#)
- [4. Map eTMF permissions if used](#)
- [5. Launch Viedoc](#)


Thorough preparation for inspection of the EDC system used in a clinical trial is of great importance. The regulatory authorities see the EDC system used for a clinical trial as an important computerized system with regards to both patient safety and data integrity.

To assist in this process, Viedoc has developed the Viedoc Inspection Readiness Packet ([VIRP](#)) which provides you with the information you need to prepare for a regulatory inspection and to fulfil regulatory expectations and requirements. The VIRP introduction describes the contents of VIRP in more detail, and also talks about additional documentation you should provide. The VIRP introduction is included in VIRP.

If you decide to use VIRP we provide an eLearning lesson which describes the information needed step-by-step in order to fulfil inspector expectations: [Inspection Readiness When Working in Viedoc](#)

You can read about how to download the Viedoc Inspection Readiness Packet here: [VIRP](#)

You will need to give full read-only access and invite the inspector to the Regulatory Inspector role in the Viedoc system as described below.



# 1 Configure the role

This step is performed by the **Designer**.

To allow the Regulatory Inspector viewing access to study data, their role must be configured with read-only and view anonymized and blinded data permissions on the **Roles** page.

## Note!

- The role of Regulatory Inspector must be turned on in Designer.
- By default, a set of predefined roles is set up by the system, and can be modified for your study. Permissions for the role of Regulatory Inspector should be set to **READ-ONLY** access to all parts of the system, including the eTMF (if it is used) and the eLearning.

# 2 Configure Logistics permissions if used

If the study uses Viedoc Logistics, the following role permissions in Logistics Rights for the Regulatory Inspector role must be configured on the **Roles** page:

- View IP ([Investigational Product](#)) on study level,
- View IP on site level
- View subject ID when allocated
- View blinded info (e.g. Active/Placebo).

See [Configuring roles](#).

Edit role "Regulatory Inspector" [R16]

Manage rights in this role

Special

User can only view form data (this overrides all edit permissions)  Export of data into different formats/view reports  Metrics  Create private notes  Medical coding  View reference data

CRF Rights

Add/update subject/event/form data and query answers  Delete subjects  Sign subject/event form data and queries  Add/change queries  Add pre-queries  Promote pre-queries  Data review  Clinical review  SDV

Lock data  Emergency unblinding  View anonymized data  Anonymize data

Logistics Rights

View IP on study level  Manage IP on study level  View IP on site level  Manage IP on site level  View Subject ID when allocated  View blinded info (e.g. Active/Placebo)

**Note!** Should the inspector also require access to Viedoc Admin or Viedoc Designer, you are always welcome to contact your Viedoc representative if you need assistance.

# 3 Invite a Regulatory Inspector

This step is performed by the **Study Manager**.

**Note!** For randomized studies, the inspector should also be invited to the study with the role of Unblinded Statistician, in order to have access to the randomization lists and be able to download them in Viedoc Admin.

See [Managing users](#).

# 4 Map eTMF permissions if used

If the study is using the eTMF, map the Regulatory Inspector study role to an eTMF role with the permissions read-only **TMF Admin**, read-only **Trial Master File** and **Download audit trail**.

# eTMF

Manage your eTMF application.



## Study eTMF

✔ Study eTMF license is valid

Enable



Launch study eTMF

## eTMF roles mapping

Map each Study role to one or more eTMF roles and permissions, if applicable.

Study role	eTMF roles and permissions
Investigator	Site staff x Sponsor study x Sponsor country x Sponsor site x Reviewer x Archive sponsor TMF x Archive investigator TMF x Download audit trail x Manage drop zone x
Monitor	
Project Manager	
Regulatory Inspector	Read-only TMF Admin x Read-only Trial Master File x Download audit trail x
Site Reviewer	

This step is performed by the **Study Manager/eTMF Manager**.

## 5 Launch Viedoc

Launch Viedoc Clinic and Viedoc eTMF and Viedoc Logistics (if used in the study) from the [landing page](#).

This step is performed by the **Regulatory Inspector**.



Managing Viedoc eTMF

# Managing Viedoc eTMF

Published by Viedoc System 2024-11-14

- [1. Mapping user roles](#)
- [2. Enabling Viedoc eTMF for your trial](#)
- [3. Launching Viedoc eTMF in Admin mode](#)
- [4. Locking/unlocking the eTMF](#)
  - [4.1 Introduction](#)
  - [4.2 Locking the eTMF](#)
  - [4.3 Unlocking the eTMF](#)

## 1 Mapping user roles


In Viedoc eTMF, the end user roles and permissions determine what kind of access a user has to artifact data (no access/read/write/review) on the different levels:

- Study
- Country
- Site


eTMF permissions can be assigned to users to give them special access or perform certain tasks.

To map the Viedoc study roles to eTMF roles and/or permissions:

- 1 In Viedoc Admin, click **Show studies** to open the study overview page:



- 2 Click the eTMF settings button:



- 3 In the **eTMF roles mapping** area, select the eTMF role(s) and/or permission(s) that you want to map to the Viedoc study roles:

Study role	eTMF roles and permissions
Investigator	Site staff
Study Coordinator	
Monitor	Reviewer
Project Manager	Sponsor country
Data Manager	Sponsor Data Manager
Medical Coder	
Study Supply Manager	
Site Supply Manager	
Regulatory Inspector	Read-only TMF Admin, Read-only Trial Master File

The Viedoc study roles correspond to the Clinic roles for the study. The eTMF permissions are defined in Viedoc. The eTMF roles correspond to the roles specified in the eTMF template file. You can map a study role to one or several eTMF roles.

The available eTMF roles are:

- Site staff
- Sponsor study
- Sponsor country
- Sponsor site
- Reviewer
- Sponsor Data Manager
- Sponsor unblinded

The respective permissions for these eTMF roles are specified in the Excel template file, on the Role sheets. For more information, see [Customizing a template](#).

The available eTMF permissions are:

- Archive sponsor TMF
- Archive investigator TMF
- Read-only TMF Admin
- Read-only Trial Master File
- Download audit trail
- Manage drop zone
- Manage document sharing for Viedoc Clinic users
- Manage document sharing for Viedoc Me users

For more information, see [eTMF Permissions](#).


- 4 Click **Save changes**.

## 2 Enabling Viedoc eTMF for your trial


If your Viedoc license includes the Viedoc eTMF application, and if you have been assigned the role **eTMF Manager**, you can enable Viedoc eTMF for your trial.

To enable Viedoc eTMF:


- 1 In Viedoc Admin, click **Show studies** to open the study overview page:



- 2 Click the **eTMF settings** button:



- 3 To enable Viedoc eTMF for your study, toggle the **Enable** switch to ON in the eTMF settings dialog:




## 3 Launching Viedoc eTMF in Admin mode


Before you launch Viedoc eTMF for the first time, you need to [enable](#) it and [map](#) the Viedoc study roles to the eTMF role(s) in Viedoc Admin. When Viedoc eTMF has been enabled, you can launch it.

To launch Viedoc eTMF in Admin mode:


- 1 In Viedoc Admin, click **Show studies** to open the study overview page:




- 2 Click the eTMF settings button:



- 3 Click **Launch Study eTMF**:




- 4 When you launch Viedoc eTMF for the first time, this message is displayed:




**Alternatively**, if you have a Clinic role in the study, to launch Viedoc eTMF:

- 1 Click the **eTMF** icon on the Viedoc landing page:



**Note!** The **eTMF** icon is only available in Production mode.

- 2 When the eTMF application opens, you might need to switch to the **TMF Admin** view:





## 4 Locking/unlocking the eTMF

### 4.1 Introduction

When the eTMF is ready to be archived, an eTMF Manager can **lock** the eTMF.


The eTMF can be considered complete and ready for archiving when all the documents are available, reviewed, and finalized, and no more documents are to be added to the study.

When the eTMF is locked, it is available to users who have access to it in read-only mode. This means that documents can still be viewed by users who have access to them according to their roles and permissions. It is still possible to grant users access to the eTMF. However, no changes can be made to the documents, nor to the eTMF structure, templates, or settings.


Users who have access to the eTMF Archive can still generate the eTMF-EMS repository and the complete audit trail report.

When the eTMF is locked, an information message is visible in all the views to indicate that the system is locked and available in read-only mode:

- In the TMF Admin view:



- In the Trial Master File view:




- In the TMF Archive view:




The status of the eTMF is shown on the **Status** tab in TMF Admin, and it can be one of the following:


- **Enabled** The eTMF is enabled but no structure is instantiated yet.



- **Instantiated** The eTMF is enabled and there is an instantiated structure. Users who have access to the eTMF can work according to their roles and permissions.



- **Locked** The eTMF is locked and available for users in read-only mode. Users with permissions to the TMF Archive view can generate and download the TMF-EMS repository and the complete audit trail report.



**Note!** It is possible to unlock a locked eTMF and then lock it again.

For traceability purposes, all lock and unlock actions are audit trailed and available in the complete audit trail report. You can generate and download the report from the TMF Archive view.

## 4.2 Locking the eTMF

**Note!** The eTMF can only be locked by an eTMF Manager.


To lock the eTMF:

1 Launch the eTMF and navigate to the TMF Admin view.


2 Navigate to the **Status** tab.

This tab shows the TMF status and provides the possibility to lock/unlock the study eTMF.


3 Click the **Lock eTMF** button.



4 A dialog opens. Enter a reason for locking the eTMF and confirm.



- 5 The status of the eTMF changes to **Locked**, and information about when the system was locked and by whom is displayed on the **Status** tab.



### 4.3 Unlocking the eTMF


**Note!** The eTMF can only be unlocked by an eTMF Manager.

To unlock the eTMF:


- 1 Launch the eTMF and navigate to the TMF Admin view.
- 2 Navigate to the **Status** tab.

This tab shows the TMF status and provides the possibility to lock/unlock the study eTMF.

- 3 Click the **Unlock eTMF** button.




- 4 A dialog opens. Enter a reason for unlocking the eTMF and confirm.



The dialog box has a blue header with the text "Confirm eTMF unlock" and two buttons: "Confirm" and "Cancel". Below the header is a section titled "Give reason" with a text input field containing the text "One document left to be reviewed and finalized." At the bottom of the dialog is an information icon followed by the text: "Are you sure you want to unlock the eTMF? When unlocked, users who have access to the system will be able to work according to their roles and permissions."

- 5 The status of the eTMF changes to the status it had before locking it.



The screenshot shows the "eTMF Admin" interface. The top navigation bar includes "eTMF" and "TMF Admin". Below this is a menu with "TMF structure", "Templates", "Settings", and "Status". The "Status" page displays a blue checkmark icon next to the heading "Instantiated". Below the heading is the text: "eTMF Managers can make changes to the structure and users can upload and manage documents in the Trial Master File view." At the bottom of the page is a "Lock eTMF" button with a lock icon. Below the button is the text: "Lock the eTMF. When locked the system is only available in read-only mode."



Viedoc Share for the eTMF Manager

# Viedoc Share for the eTMF Manager

Published by Viedoc System 2024-10-11

---

- [1. Introduction](#)
  - [2. Definitions](#)
  - [3. Prerequisites](#)
  - [4. Workflow](#)
  - [5. Enabling document sharing for an artifact](#)
- 

## 1 Introduction

The Viedoc Share feature is available to eTMF users for sharing documents with Viedoc Me users or Viedoc Clinic users for information sharing or for collecting signatures.

---

## 2 Definitions

These concepts are used in the following text:

- **Sharer** - an eTMF user with Manage sharing permission
  - **Binder** - an envelope that includes a finalized document version that is filed to the eTMF
  - **Recipient** - a Viedoc Clinic or Viedoc Me user from the same scope as the sharer
  - **Co-signatory** - a Viedoc Clinic user from the same scope as that sharer. The co-signatory can sign a document when all the binder's recipients have signed it.
- 

## 3 Prerequisites

An eTMF user with the permission **Manage document sharing for Viedoc Clinic users** or **Manage document sharing for Viedoc Me users** can share documents. The permissions associated with your user role are set up by the eTMF Manager.

A document can only be shared if:

- the corresponding artifact has been configured for sharing (done by the eTMF Manager)
  - the document is **finalized**
  - the Sharer has permissions for the same scope (trial, country, site) as the Viedoc Me user or the Viedoc Clinic user
- 

## 4 Workflow

1. Viedoc Admin: An Admin user maps the permission to **Manage document sharing** with Viedoc Clinic and Viedoc Me users to an eTMF user. This is the **Sharer**.
2. Viedoc TMF > TMF Admin view > Edit artifact. The eTMF Manager enables document sharing for Viedoc Clinic and/or Viedoc Me users.
3. Viedoc TMF > Trial Master File view > Document properties. A user with WRITE access:
  - Configures a document to be shared with either Viedoc Clinic users or Viedoc Me users

- Publishes and finalizes the document
  - Creates **binder(s)** and shares them with **recipients** and **co-signatories**
4. **Recipients** receive a an email with a link to Viedoc Share where they can read and/or sign the document using a one-time code.
  5. For Viedoc Me users, a link to Viedoc Share is available under **Documents** on the main page of Viedoc Me.
  6. When all recipients have signed the document and if a co-signatory is required, the **co-signatory** also signs it.
  7. The signed documents are included in the corresponding side of the eTMF-EMS archive (Investigator and/or Sponsor).
- 

## 5 Enabling document sharing for an artifact

To enable document sharing for an artifact:

- 1 In the TMF Admin view, when maintenance mode is activated, select the **Edit** button that appears when you hover over an artifact in the TMF structure.
- 2 In the **DOCUMENT SHARING** section of the **Edit artifact** window, select the users that the artifact can be shared with - Viedoc Clinic users, Viedoc Me users, or both.
- 3 Make sure all required fields are filled in, and select **Save**.
- 4 Select **Apply all changes** and to make the change take effect.



Viedoc-provided templates

# Viedoc-provided templates

Published by Viedoc System 2023-03-07

---

[1. Introduction](#)

[2. How to use the Viedoc template](#)

The templates currently available for download are for **non-device studies** and **device studies**.

You can download the Viedoc Non-device template [here](#).

You can download the Viedoc Device template [here](#).

---

## 1 Introduction

The Viedoc-provided eTMF templates are baseline templates in Excel format that you can download and customize to cover your organization's needs.

The templates are of standard structure based on the Reference Model of the Drug Information Association ([DIA](#)), and are created according to best practices in Viedoc eTMF considering artifacts and the roles' permissions to the artifacts.

The templates include artifacts that are meant to be used by the sponsor TMF and Investigator Site File ([ISF](#)). The Site staff role is intended to be assigned to Site personnel so that they can upload documents to the ISF. The other roles can be used for different purposes when working on the sponsor TMF.

---

## 2 How to use the Viedoc template

The template can be used off the shelf or with modifications to suit your study needs. Ensure that your approach is properly validated for your study. For further information on how to handle and use the templates, refer to the lessons around templates in [Viedoc User Guide for eTMF Managers](#).



Customizing a template

# Customizing a template

Published by Viedoc System 2023-10-09

- [1. Introduction](#)
- [2. The V 3.2.1 sheet](#)
- [3. The Viedoc extensions sheet](#)
- [4. The Viedoc milestones sheet](#)
- [5. Role sheets](#)

## 1 Introduction


The eTMF template file defines which zones, sections, and artifacts that your eTMF will have. Furthermore, it defines the permissions associated with the eTMF user roles.

The eTMF template is implemented in an Excel file.

As an eTMF Manager, you have the permission to **import**, **select**, **instantiate**, **export**, **rename**, and **delete** templates.

With your Viedoc eTMF license, a baseline template is provided. This template is not intended to be used as it is, but to be adapted to your organization's needs. See [Viedoc-provided templates](#) for more information.

To access the templates in Viedoc eTMF, click the **Templates** tab at the top of the page:



In Viedoc eTMF, there are two types of templates:

- **Organization template** - available for all studies within your organization
- **Study template** - available only for the specific study

It is recommended that you adapt the eTMF template to your specific documentation landscape. For example, you can customize, add, or delete zones, sections, and artifacts.

However, the following requirements must be fulfilled for Viedoc eTMF to successfully validate the template:

- The template must include nine sheets, in any order.
- The sheet names must not be changed.
- All columns in all sheets are mandatory, which means that they must be present. However, some columns can be left empty. For more information, see the following sub-sections.
- Some columns must include specific values. For more information, see the following sub-sections.




- All sheets must have the same number of rows, that is one row per artifact.

## 2 The V 3.2.1 sheet

This sheet is based on the DIA TMF Reference Model. Zones, sections, and artifacts can be customized, added, and/or deleted.

These are the requirements for the columns:


<b>Zone #</b>	Must be unique
<b>Zone Name</b>	Must be unique
<b>Section #</b>	Must be unique  It consists of two digits that represent the zone number that the section belongs to, followed by a separator and the section number.
<b>Section Name</b>	Must be unique within the zone
<b>Artifact #</b>	Must be unique  It consists of two digits that represent the zone number, followed by a period (.), then two digits for the section number, a period (.) and the artifact number. Example: 03.02.01
<b>Artifact name</b>	Must be unique within the section
<b>Alternate names (artifact also commonly known as)</b>	This is an alternative name for the artifact.  This column is optional. If it exists, its value can be left empty.  <b>Note!</b> This column is not currently mapped to system functionality. It is not currently possible to change it in maintenance mode.
<b>Definition / Purpose</b>	A free-text description of the artifact  To view the definition in Viedoc eTMF, go to the <b>TMF structure tab</b> , navigate to the artifact, and select <b>View</b> .   <b>This column must have values.</b>

<p><b>Sub-artifacts</b></p>	<p>A newline-separated list of sub-artifacts</p> <p>To view the list of sub-artifacts in Viedoc eTMF, see above.</p> <p>Sub-artifacts can be used by eTMF users to further classify documents.</p> <p>This column can be left empty.</p>
<p><b>Core or Recommended for inclusion</b></p> <p><b>ICH Code</b></p>	<p>These columns are related to GCP.</p> <p>These columns can be left empty.</p> <p><b>Note!</b> This column is not currently mapped to system functionality. It is not currently possible to change it in maintenance mode.</p>
<p><b>Unique ID Number</b></p>	<p>An optional unique ID number for the artifact.</p> <p>This number is validated as follows by Viedoc eTMF:</p> <ul style="list-style-type: none"> <li>▪ If it is available, it must be a valid integer that is unique for the artifact.</li> <li>▪ If it is not available, that is accepted by the eTMF system, and represented as <code> </code> in the exported archive.</li> </ul>
<p><b>Sponsor Document</b></p> <p><b>Investigator Document</b></p>	<p>These columns define what side of the TMF the artifact is: sponsor or investigator (according to GCP).</p> <p>The values can be <code>X</code> (meaning yes) or <code>NO</code>.</p> <p>These columns must have values.</p>
<p><b>Process Based Metadata - Number</b></p> <p><b>Process Based Metadata - Name</b></p>	<p>These columns define trial processes that artifacts can be linked to. This can be useful for trials where records are filed across multiple zones.</p> <p><b>Note!</b> These columns are not currently mapped to system functionality. It is not currently possible to change them in maintenance mode.</p>
<p><b>Trial Level Document</b></p> <p><b>Trial Level MILESTONE/EVENT</b></p> <p><b>Country/ Region Level Document</b></p> <p><b>Country Level MILESTONE/EVENT</b></p> <p><b>Site Level Document</b></p> <p><b>Site Level MILESTONE/EVENT</b></p>	<p>These columns define the milestones on trial level, country level, and site level.</p> <p>When a Trial/Country/Site level document in the V 3.2.1 sheet in the template is set to:</p> <ul style="list-style-type: none"> <li>▪ <code>X</code>, then the corresponding Trial/Country/Site level milestone/event should not be empty. The corresponding milestone/event must include a valid value from the Viedoc Milestones sheet - Name column.</li> <li>▪ Empty, then the corresponding Trial/Country/Site level milestone/event should be empty.</li> </ul>
<p><b>Dating Convention</b></p>	<p>Defines the dating convention that is used in the metadata of documents uploaded to Viedoc eTMF</p> <p>This column can be left empty. If it is empty, the default dating convention will be the version date.</p> <p>If you select <b>New</b> in the <b>Dating convention</b> field in the <b>Edit artifact</b> window, you can, for example, enter an <b>expiration date</b> as the dating convention.</p>

### 3 The Viedoc extensions sheet

This sheet contains Viedoc-specific properties for each artifact.

These are the requirements for the columns:

<b>Artifact #</b>	Unique artifact number as defined on the V 3.2.1 sheet.
<b>Sign</b>	<p>This column is not yet used in Viedoc eTMF, but it must have values.</p> <p>The following values are accepted: Required , Optional , or, Not Permitted .</p>
<b>Applicable in Trial</b>	<p>Defines if the artifact is applicable at trial level.</p> <p>The column must have values.</p> <p>The following values are accepted: Required , Optional , or, Not Permitted .</p>
<b>Applicable in Country</b>	<p>Defines if the artifact is applicable at country level.</p> <p>The column must have values.</p> <p>The following values are accepted: Required , Optional , or, Not Permitted .</p>
<b>Applicable at Site</b>	<p>Defines if the artifact is applicable at site level.</p> <p>The column must have values.</p> <p>The following values are accepted: Required , Optional , or, Not Permitted .</p>
<b>Metadata properties</b>	<p>Additional metadata for the artifact.</p> <p>This column can be left empty.</p> <p>To view the additional metadata in Viedoc eTMF, go to the <b>TMF structure tab</b>, navigate to the artifact, and click <b>View</b>.</p>  <p>The screenshot shows a 'DETAILS' section with the following metadata: File formats: *, Blinded data: Accepted, Privacy data: Not accepted, Dating convention: Version Date. Below this is an 'ADDITIONAL METADATA' section with the text 'No additional metadata set'.</p>
<b>File formats</b>	<p>A pipe-separated list of accepted file formats for the artifact. Examples:</p> <ul style="list-style-type: none"> <li>▪ docx   pdf - only docx and pdf files are accepted</li> <li>▪ * - all file formats are accepted (except for those that are <a href="#">blacklisted</a> for Viedoc)</li> </ul>
<b>Accept blinded data</b>	<p>This column is not yet used in Viedoc eTMF. It defines if blinded data is accepted for the artifact.</p> <p>The following values are accepted: YES or NO .</p>

<b>Accept privacy data</b>	<p>This column is not yet used in Viedoc eTMF. It defines if privacy data is accepted for the artifact.</p> <p>The following values are accepted: YES or NO .</p>
----------------------------	---

## 4 The Viedoc milestones sheet

This is an optional sheet. It includes Viedoc-specific properties for each milestone.

If this sheet is not provided, the system will create a list of milestones, under the group **Other**, based on the following specified milestones in the **V 3.2.1 sheet**:

- **Trial Level MILESTONE/EVENT**
- **Country Level MILESTONE/EVENT**
- **Site Level MILESTONE/EVENT**

These are the requirements for the columns:

<b>Id</b>	Unique milestone Id. This column is mandatory.
<b>Name</b>	Unique milestone name. This column is mandatory.
<b>Group</b>	One of the four milestone groups defined in DIA Reference Model. This column is mandatory, and the following values are accepted: <b>Start UP, Study Conduct, Close Out, Other</b>
<b>Trial description</b>	Description of trial-level documents this milestone includes. This column can be left empty.
<b>Country description</b>	Description of country-level documents this milestone includes. This column can be left empty.
<b>Site description</b>	Description of site-level documents this milestone includes. This column can be left empty.

## 5 Role sheets

The role sheets define the permissions associated with each of the eTMF roles.

These are the role sheets:

- Role SPONSOR-STUDY
- Role SITESTAFF
- Role SPONSOR-COUNTRY
- Role SPONSOR-SITE
- Role SPONSOR-REVIEW
- Role SPONSOR-DM
- Role SPONSOR-UNBLINDED

These are the requirements for the columns:

<b>Artifact #</b>	Unique artifact number as defined on the V 3.2.1 sheet.
-------------------	---

<p><b>Study</b></p>	<p>Defines the permission of the role on study/trial level.</p> <p>The following values are accepted:</p> <ul style="list-style-type: none"> <li>▪ NO ACCESS : the role cannot access or see the documents in the corresponding artifact on trial level</li> <li>▪ READ : the role can see and download the documents in the corresponding artifact on trial level</li> <li>▪ WRITE : the role can see, upload, download, edit, and delete documents in the corresponding artifact on trial level. The user needs to be invited on study scope (All production sites) in Viedoc in order to gain WRITE access. Otherwise, the WRITE permission will be translated to READ.</li> <li>▪ REVIEW : the role can see, download, approve, and give comments on the documents published in the corresponding artifact on trial level. The user needs to be invited on study scope (All production sites) in Viedoc in order to gain REVIEW access. Otherwise, the REVIEW permission will be translated to READ.</li> </ul> <p><b>Note!</b> It is possible for users to be invited to 'All sites' for roles and permissions, but we strongly advise against this.</p>
<p><b>Country</b></p>	<p>Defines the permission of the role on country level.</p> <p>The following values are accepted:</p> <ul style="list-style-type: none"> <li>▪ NO ACCESS : the role cannot access or see the documents in the corresponding artifact on country level</li> <li>▪ READ : the role can see and download the documents in the corresponding artifact on country level</li> <li>▪ WRITE : the role can see, upload, download, edit, and delete documents in the corresponding artifact on country level. The user needs to be invited on at least country scope in Viedoc in order to gain WRITE access. Otherwise, the WRITE permission will be translated to READ.</li> <li>▪ REVIEW : the role can see, download, approve, and give comments on the documents published in the corresponding artifact on country level. The user needs to be invited on at least country scope in Viedoc in order to gain REVIEW access. Otherwise, the REVIEW permission will be translated to READ.</li> </ul>
<p><b>Site</b></p>	<p>Defines the permission of the role on site level.</p> <p>The following values are accepted:</p> <ul style="list-style-type: none"> <li>▪ NO ACCESS : the role cannot access or see the documents in the corresponding artifact on site level</li> <li>▪ READ : the role can see and download the documents in the corresponding artifact on site level</li> <li>▪ WRITE : the role can see, upload, download, edit, and delete documents in the corresponding artifact on site level</li> <li>▪ REVIEW : the role can see, download, approve, and give comments on the documents published in the corresponding artifact on site level</li> </ul>



Importing and exporting templates

# Importing and exporting templates


Published by Viedoc System 2022-11-29

- [1. Importing a template](#)
- [2. Exporting a template](#)


## 1 Importing a template

To import a template:


- 1 In Viedoc eTMF, select the **TMF Admin** view.



- 2 Navigate to the **Templates** tab.



- 3 Click the import button.




**Note!** If there are any errors in the imported template, a message will be displayed. To download the file with the error messages, click **Import errors**.

**Whoops!** Something went wrong with the import, see the file [Import errors](#) for more information


## 2 Exporting a template

To export an eTMF template:


- 1 In Viedoc eTMF, select the **TMF Admin** view:



- 2 Click the **Templates** tab at the top of the page:



- 3 Click on **Export** for the template that you want to export:



The Excel file is then available for download from your browser.



Selecting a template


## Selecting a template

Published by Viedoc System 2022-11-29


When an eTMF template is selected, it is made available on the **TMF structure** tab. There, you can browse through the structure and view the properties of the zones, sections, and artifacts to make sure that the structure corresponds to your needs before you [instantiate](#) it.

To select a template:


- 1 In Viedoc eTMF, select the **TMF Admin** view:



- 2 Click the **Templates** tab at the top of the page:



- 3 Click the **Select** button for the template.




- 4 When the template has been selected, the **Select** button is highlighted.






5 You can now view and browse through the corresponding structure on the **TMF structure** tab.



If you need to make changes to the structure, modify the Excel template file and import it to Viedoc eTMF.

When you have made sure that the structure corresponds to your needs, you can choose to [instantiate](#) it.

When a template has been selected, you can export the complete eTMF structure to an Excel file from the **TMF structure** tab by clicking **Export structure** at the bottom of the page:





Managing templates

# Managing templates


Published by Viedoc System 2022-11-29

- [1. Renaming a template](#)
- [2. Deleting a template](#)


## 1 Renaming a template

To rename a template:

- 1 In Viedoc eTMF, select the **TMF Admin** view:




- 2 Click the **Templates** tab at the top of the page:



- 3 Click **Manage** for the template that you want to rename:



- 4 In the **Manage Template** pop-up, click **Edit**:




- 5 Change the template name.
- 6 Click **Save changes**.


## 2 Deleting a template

To delete an eTMF template:

- 1 In Viedoc eTMF, select the **TMF Admin** view:




- 2 Click the **Templates** tab at the top of the page:



- 3 Click **Manage** for the template that you want to delete:



- 4 Click **Delete template** in the pop-up:



Manage template

Edit Close

Name\*

DemoStudyTemp - Copy

Category\*

Organization template

Delete template

- 5 Click **Yes** to confirm.




Instantiating a structure

# Instantiating a structure


Published by Viedoc System 2022-11-29

To instantiate an eTMF structure, that is to apply it to a study:


- 1 In Viedoc eTMF, select the **TMF Admin** view.



- 2 Click the **TMF structure** tab at the top of the page.



- 3 Click the **Instantiate** button.



- 4 The structure is now applied to the study and available for end users to work with.

**Note!** Once a structure has been instantiated for a study, it cannot be un-instantiated. To make changes to an instantiated eTMF structure, you need to switch on **Maintenance mode**. For more information, see [Editing a structure](#).



Editing a structure

# Editing a structure

Published by Viedoc System 2023-06-21

---

## [1. Activating maintenance mode](#)

## [2. Managing the structure](#)

### [2.1 Editing the structure](#)

#### [2.1.1 Editing the structure name](#)

#### [2.1.2 Editing the version of the TMF reference model](#)

### [2.2 Editing zones and sections](#)

#### [2.3 Editing artifacts](#)

#### [2.4 Adding artifacts](#)

#### [2.5 Deleting artifacts](#)

## [3. Managing milestones](#)

### [3.6 Changing the sequence of milestones](#)

#### [3.7 Editing milestones](#)

#### [3.8 Adding milestones](#)

#### [3.9 Deleting milestones](#)


## [4. Applying or reverting changes to the structure](#)

To edit an instantiated eTMF structure, you need to operate in **maintenance mode**.

---

## 1 Activating maintenance mode

To activate maintenance mode, click the **Maintenance** switch on the **TMF structure** tab in the TMF Admin view.



When maintenance mode is activated, all non-applied changes to the active structure are shown.

---

## 2 Managing the structure


### 2.1 Editing the structure

The edits that you can make on the structure level are as described in the following sub-sections.


#### 2.1.1 Editing the structure name

To edit the structure name:

1 In maintenance mode, select **Edit** on the structure level.




2 In the window that is displayed, edit the structure name and select **Ready**.




### 2.1.2 Editing the version of the TMF reference model

To edit the version of the TMF reference model:

1 In maintenance mode, select **Edit** on the structure level.




2 In the window that is displayed, select the applicable version of the TMF reference model from the dropdown menu and select **Ready**.




## 2.2 Editing zones and sections

To edit a zone or section:

- 1 When maintenance mode is activated, select the **Edit** button that appears when you hover over a zone or section in the TMF structure.



- 2 In the **Edit** window, make your changes to the zone or section name.



- 3 Select **Save changes**.

## 2.3 Editing artifacts

To edit an artifact:



- 1 When maintenance mode is activated, select the **Edit** button that appears when you hover over an artifact in the TMF structure.

The screenshot displays the eTMF TMF Admin interface. At the top, there is a navigation bar with the eTMF logo, a breadcrumb trail 'eTMF > TMF Admin', and a user profile icon. Below this is a menu with tabs for 'TMF structure', 'Templates', 'Settings', and 'Status'. The main content area features a notification for 'template with dropzone [66]' with an 'Edit' link and a 'MAINTENANCE' toggle switch that is currently turned on. A red-bordered box contains the message 'No changes have been made to the structure.' Below this is a '10 Milestones' section with an 'Edit' link. The 'TMF structure' summary shows '10 zones - 45 sections - 225 artifacts'. The hierarchy is as follows: Zone '01-Trial-Management' (red), Zone '02 Central Trial Documents' (blue), Section '02.01 Product and Trial Documentation' (blue), and three Artifacts: '02.01.01 Investigator's Brochure' (blue), '02.01.02 Protocol' (blue), and '02.01.03 Protocol Synopsis' (blue). The 'Edit' button for the '02.01.01 Investigator's Brochure' artifact is highlighted with a yellow box.

eTMF > TMF Admin

TMF structure | Templates | Settings | Status

template with dropzone [66] Edit  
Maintenance mode switched on 2023-03-07 01:01 by [redacted] MAINTENANCE

No changes have been made to the structure.

10 Milestones Edit

TMF structure 10 zones - 45 sections - 225 artifacts

- Z 01-Trial-Management
- Z 02 Central Trial Documents
  - S 02.01 Product and Trial Documentation
    - A 02.01.01 Investigator's Brochure Edit Delete
    - A 02.01.02 Protocol
    - A 02.01.03 Protocol Synopsis

2 Make your changes in the **Edit artifact** window.

The screenshot shows the 'Edit artifact' window for an artifact titled 'Investigator's Brochure'. The window has a blue header with 'Edit artifact' and a 'Close' button. Below the header, the artifact name 'Investigator's Brochure' is displayed, along with the text 'From template template with dropzone [customized]'. The main content area is titled 'CLASSIFICATION' and contains several fields and controls:

- Zone #:** Text input field containing '02'.
- Zone name\*:** Dropdown menu showing '02 Central Trial Documents'.
- Section #:** Text input field containing '02.01'.
- Section name\*:** Dropdown menu showing '02.01 Product and Trial Documentation'.
- Artifact #:** Text input field containing '02.01.01'.
- Artifact name\*:** Text input field containing 'Investigator's Brochure' with a blue 'Share/Unshare' toggle button to its right.
- Definition\*:** Text area containing the text: 'To provide relevant and current clinical and non-clinical data on the investigational product(s) that is related to the study of the product(s) in human subjects. The Investigational Medicinal Product Brochure'. Below the text area is a blue link: <https://externaltest4etmfpreview.viedoc.net/preview/02/01/01?sart=>
- Unique Id:** Text input field containing '31'.
- Sub-artifacts:** A list of sub-artifacts, each with a text input field and a toggle button (blue for 'Share', red for 'Unshare').
  - IB Review Document (toggle is blue)
  - Summary of Changes (toggle is red)
  - IB QC Document (toggle is red)
  - IB Validity Extension (toggle is red)
- TMF side\*:** Checkboxes for 'Sponsor' and 'Investigator', both of which are checked.

For more information about the artifact properties, see [Customizing a template](#), specifically the sections *The V 3.2.1 sheet* and *Role sheets*.

**Note!** A TMF Manager can choose to create a link or remove an existing link for sharing finalized and locked documents linked to the main artifact or any of the sub-artifacts, by selecting the **Share/Unshare** button to the right. Then a link to the shared document is shown in this dialog and in the **View artifact properties** window.

3 Click **Save**.

## 2.4 Adding artifacts

To add an artifact:

- 1 To add a new artifact to a specific zone or section, click the **Add new artifact** button that appears when you hover over a zone or section in the TMF structure.

The screenshot shows the eTMF TMF Admin interface. At the top, there is a navigation bar with 'eTMF' and 'TMF Admin'. Below this is a menu with 'TMF structure', 'Templates', 'Settings', and 'Status'. The main content area shows a 'template with dropzone [66]' with a maintenance mode indicator. A red box indicates 'No changes have been made to the structure.' Below this is a 'Milestones' section with an 'Edit' button. The 'TMF structure' section shows a hierarchy of zones and sections. The '02 Central Trial Documents' zone is expanded, showing sections '02.01 Product and Trial Documentation' and '02.01.01 Investigator's Brochure'. The 'Add new artifact' button is highlighted in a yellow box.

Alternatively, click **Add new artifact** at the bottom of the structure.

The screenshot shows the full TMF structure in the eTMF TMF Admin interface. The structure is listed as '10 zones - 45 sections - 225 artifacts'. The zones are listed as follows: 01-Trial-Management, 02 Central Trial Documents, 03 Regulatory, 04 IRB or IEC and other Approvals, 05 Site Management, 06 IP and Trial Supplies, 07 Safety Reporting, 08 Central and Local Testing, 09 Third parties, 10 Data Management, 11 Statistics, and 12-Dropzone. The '+ Add new artifact' button is highlighted in a yellow box and pointed to by a yellow arrow.

2 Fill in the artifact information in the **Add new artifact** window.

The screenshot shows the 'Add new artifact' window with the following fields and settings:

- CLASSIFICATION**
  - Zone #: 02
  - Zone name\*: 02 Central Trial Documents
  - Section #: 02.01
  - Section name\*: 02.01 Product and Trial Documentation
  - Artifact #: (empty)
  - Artifact name\*: New artifact
  - Definition\*: This artifact contains some new information.
  - Unique Id: (empty)
  - Sub-artifacts: (empty) +
  - TMF side\*:  Sponsor  Investigator
- TRIAL LEVEL SETTINGS**
  - Document\*:  Required  Optional  Not permitted
  - Roles & accesses\*: SITESTAFF (READ), SPONSOR-STUDY (WRITE)

If you select **New** in the **Zone name** or **Section name** dropdown menu, you can create a new zone or section where the artifact will be added.

**Note!** The required fields are marked with red.

3 Click **Save**.

## 2.5 Deleting artifacts

To delete artifacts:

1 Click the **Delete** button that appears when you hover over a zone, section, or artifact.

The screenshot displays the eTMF TMF Admin interface. At the top, there is a navigation bar with the eTMF logo, a 'TMF Admin' dropdown menu, and a user profile icon. Below this is a secondary navigation bar with tabs for 'TMF structure', 'Templates', 'Settings', and 'Status'. The main content area shows a card for 'non-device\_template\_03 [1]' with an 'Edit' link and a 'MAINTENANCE' toggle switch. A red message box states 'No changes have been made to the structure.' Below this is a 'Milestones' section with '12 Milestones' and an 'Edit' link. The 'TMF structure' section shows a hierarchy: '01 Trial Management' (zone), '02 Central Trial Documents' (zone), and '02.01 Product and Trial Documentation' (section). The '02.01 Product and Trial Documentation' section is highlighted, and a 'Delete' button is visible next to it. Below this section are several artifacts, each with an 'A' icon and a 'Delete' button. The artifacts listed are: '02.01.01 Investigator's Brochure', '02.01.02 Protocol', '02.01.03 Protocol Synopsis', '02.01.04 Protocol Amendment', '02.01.05 Financial Disclosure Summary', and '02.01.06 Insurance'.

TMF Admin

TMF structure Templates Settings Status

non-device\_template\_03 [1] Edit

Maintenance mode switched on 2023-02-27 09:28 by [redacted] MAINTENANCE

No changes have been made to the structure.

12 Milestones Edit

TMF structure 11 zones - 48 sections - 249 artifacts

01 Trial Management

02 Central Trial Documents

02.01 Product and Trial Documentation Edit Add new artifact Delete

02.01.01 Investigator's Brochure Delete

02.01.02 Protocol

02.01.03 Protocol Synopsis

02.01.04 Protocol Amendment

02.01.05 Financial Disclosure Summary

02.01.06 Insurance

- 2 The zone or section and all its artifacts are then marked as red strike-through text in the TMF structure.

The screenshot shows the eTMF TMF Admin interface. At the top, there's a navigation bar with 'eTMF' and 'TMF Admin'. Below that, there are tabs for 'TMF structure', 'Templates', 'Settings', and 'Status'. A notification banner at the top indicates 'non-device\_template\_03 [1]' with a maintenance mode toggle. A red banner below states 'Changes have been made to the structure.' with 'Apply all changes' and 'Revert all changes' buttons. The 'Milestones' section shows 12 milestones. The main content area displays the 'TMF structure' with 11 zones, 47 sections, and 240 artifacts. The structure is shown as a tree view: Zone 01 Trial Management, Zone 02 Central Trial Documents (highlighted), Section 02.01 Product and Trial Documentation (highlighted), and Section 02.02 Subject Documentation. Under Section 02.01, 11 artifacts are listed, all of which are marked with a red strike-through: 02.01.01 Investigator's Brochure, 02.01.02 Protocol, 02.01.03 Protocol Synopsis, 02.01.04 Protocol Amendment, 02.01.05 Financial Disclosure Summary, 02.01.06 Insurance, 02.01.07 Sample Case Report Form, 02.01.10 Report of Prior Investigations, and 02.01.11 Marketed Product Material.

- 3 If you delete on zone or section level, all artifacts in the zone or section are deleted when you apply the changes to the structure.

If you delete on artifact level, only that specific artifact is deleted when you apply the changes to the structure.

If you delete the only artifact in a section, the section is also deleted.


Likewise, if you delete the only section or artifact in a zone, the zone is also deleted.

For information about how to apply or revert changes to the structure, see [Applying or reverting changes to the structure](#).

**Note!** If you delete a zone, section, or artifact, its associated documents will **not** be deleted. Instead, the end user view will display the zone, section, and artifact as deleted to indicate that the documents in it should be moved.

## 3 Managing milestones


To manage the milestones defined for the study, click **Edit** in the Milestones section on the **TMF structure** tab.



### 3.1 Changing the sequence of milestones

The sequence of milestones is how they will appear in the milestones filter in the Trial Master File view, as well as in the milestones dropdown menus in the **View artifact properties** and the **Edit artifact** windows in the TMF Admin view.

To change the sequence of milestones within the group, click the up arrow on a milestone level. The changed sequences will be highlighted in red until the changes are applied to the structure or reverted



### 3.2 Editing milestones

To edit the properties of a milestone, click **Edit** at that milestone level.

Edit milestones Close

**10** Milestones + Add new

Start Up

#	Id	Name	Trial description	Country description	Site description
01	01	01 First Country RA Approval	The first notification (written or silent)...	The first notification (written or silent)...	The first notification (written or silent)...
02	02	02 Clinical Infrastructure Ready	The necessary systems and...	The necessary systems and...	
03	03	03 Site Live / Ready / Open for Enrollment	The first site in the study has been approved / ...	The first site in the specified country has been ...	The site has been approved / activated

Study Conduct

#	Id	Name	Trial description	Country description	Site description
04	04	04 First Monitoring Visit	This is the first monitoring visit to...	This is the first monitoring visit to...	This is the first monitoring visit to...
05	05	05 Significant Study Events	Any key event within a study that indicat...	Any key event within a country that indicat...	Any key event within a site that indicates a...

The following applies when editing the properties:

- **Group, Id, and Name** are mandatory.
- The description properties are optional.
- **Id and Name** of the milestones must be unique.

### 3.3 Adding milestones

To add a new milestone to the list, click **Add new** in the **Edit milestones** window.

Edit milestones Close

**10** Milestones + Add new

Start Up

#	Id	Name	Trial description	Country description	Site description
01	01	01 First Country RA Approval	The first notification (written or silent)...	The first notification (written or silent)...	The first notification (written or silent)...
02	02	02 Clinical Infrastructure Ready	The necessary systems and...	The necessary systems and...	
03	03	03 Site Live / Ready / Open for Enrollment	The first site in the study has been approved / ...	The first site in the specified country has been ...	The site has been approved / activated

Study Conduct

#	Id	Name	Trial description	Country description	Site description
04	04	04 First Monitoring Visit	This is the first monitoring visit to...	This is the first monitoring visit to...	This is the first monitoring visit to...
05	05	05 Significant Study Events	Any key event within a study that indicat...	Any key event within a country that indicat...	Any key event within a site that indicates a...

### 3.4 Deleting milestones

Milestones that are linked to active artifacts cannot be deleted. To delete a milestone, you must remove these links either by deleting the artifact linked to it or by linking the artifact to another milestone.





## Edit '08 Database Lock'

Group\*

Close Out

Id\*

08

Name\*

08 Database Lock

Trial description

Confirmation that all of the requirements for database lock have been met.

Country description

Site description

3 artifacts linked to this milestone

[Hide List](#)

- [06.03.03 IP Treatment Decoding Documentation](#)
- [10.03.11 Database Lock and Unlock Approval](#)
- [11.03.11 Subject Evaluability Criteria and Subject Classification](#)




Delete this milestone

There are active artifacts linked to this milestone. It can therefore not be deleted.

Ready

Cancel

To delete a milestone, click **Delete this milestone** at the bottom of that milestone edit window.

 Edit '08 Database Lock'

Group\*  
Close Out

Id\* 08      Name\* 08 Database Lock

Trial description  
Confirmation that all of the requirements for database lock have been met.

Country description

Site description

0 artifacts linked to this milestone [Hide List](#)

- [10-03-11 Database Lock and Unlock Approval](#)
- [11-03-11 Subject Evaluability Criteria and Subject Classification](#)


**Delete this milestone**

Delete this milestone


Ready Cancel

## 4 Applying or reverting changes to the structure

The Viedoc eTMF application automatically recognizes when changes have been made to the TMF structure and displays a message where you can choose to apply or revert all changes that were made during the current maintenance session.

eTMF • TMF Admin • 

TMF structure    Templates    Settings    Status

 non-device\_template\_03 [1] [Edit](#)      MAINTENANCE

Maintenance mode switched on 2023-02-27 09:28 by Maria Eklund (838)

Changes have been made to the structure. [Apply all changes](#) [Revert all changes](#)

The confirmation window lists the changes that have been made and lets you confirm to apply or revert all changes.

**The following changes have been made:**

- Deleted section: Central Trial Documents > **Product and Trial Documentation**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Investigator's Brochure**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Protocol**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Protocol Synopsis**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Protocol Amendment**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Financial Disclosure Summary**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Insurance**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Sample Case Report Form**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Report of Prior Investigations**
- Deleted artifact: Central Trial Documents > Product and Trial Documentation > **Marketed Product Material**

Click **Apply changes** to publish the changes made to the structure, or close this window to continue editing.

✓ **Apply changes**

Any applied changes to the structure will be listed in the complete audit trail report.



Configuring eTMF settings


## Configuring eTMF settings

Published by Viedoc System 2023-10-09

---

On the **Settings** tab, you can configure different sections and set the behavior of the system in different scenarios.

**Note!** To configure the patterns for time, date, and date & time, use the general study setting in Viedoc Admin. For more information, see [General Study Settings](#).

eTMF ▸ TMF Admin ▾ 

TMF structure | Templates | **Settings** | Status

### Filters

Enable milestones filter 1

### Review process

Automatically lock documents on approve  Give reason for unlocking documents 2

### Drop zone

Enable shared drop zone  Enable private drop zone 3

### Document name templates

Display template:  *i* 4

Download template:  *i* 5

Archive template:  *i* 6

### Document properties

Populate TMF level value automatically 7

### Structure

Show zone, section, and artifact numbers (TMF Admin and Structure page) 8

You can configure the following:

#### 1. Filters

- **Enable milestones filter** - disabled by default. Enabling it will make the milestones filter available for users in the Trial Master File view.

#### 2. Review process

- **Automatically lock documents on approve** - disabled by default. When enabled, the documents will be locked automatically when the reviewer approves them.
- **Give reason for unlocking documents** - disabled by default. When enabled, the reviewer will be prompted to enter a mandatory reason when unlocking a locked document.

### 3. Drop zone

- **Enable shared drop zone** - enabled by default. Files that are uploaded to the shared drop zone are accessible and can be managed by the user who uploaded them as well as the users who have the Manage drop zone permission.  
When the shared drop zone is enabled, it will be available for users to drop files in.
- **Enable private drop zone** - disabled by default. Files that are uploaded to the private drop zone are only accessible and can only be managed by the user who uploaded them.  
When the private drop zone is enabled, it will be available for users to drop files in.

Anyone who has any kind of access to the study eTMF can upload files to the drop zones. However, moving files from the drop zones to the structure is similar to uploading documents to artifacts in the structure, in the sense that both require that the user has **write** access to the artifact in question.

**Note!** When placing files from within a zipped folder into a drop zone, the system will not recognize the file. It will recognize the zipped folder and extract the files. Unzip the folder, and then select the files you want to drop into the the drop zone.

### Document name templates

In this section, you can define templates for the document names. The templates can include any set of static characters and document name variables. If a document name variable value is not available for a document, it will be translated as empty value by the system. And if no template is defined, the system will fall back to the document name defined for the document.

The eTMF supports the following set of document name variables:

Variable	Description
{StudyName}	Study name
{CountryCode}	If the document is linked to many countries, the value will be "Multiple countries"
{CountryName}	If the document is linked to many countries, the value will be "Multiple countries"
{SiteCode}	If the document is linked to many countries, the value will be "Multiple sites"
{SiteName}	If the document is linked to many countries, the value will be "Multiple sites"
{VersionLabel}	User-defined version
{DocumentVersion}	The latest version of the document
{FileVersion}	The number of files uploaded to a document
{DocumentStatus}	Unpublished/Awaiting review/Flagged by QC/Finalized
{ZoneNumber}	Zone #
{ZoneName}	Zone name
{SectionNumber}	Section #
{SectionName}	Section name
{ArtifactNumber}	Artifact #
{ArtifactName}	Artifact name
{SubArtifactName}	Sub-artifact/Other name depending on the document type
{TMFLevel}	TMF level

Variable	Description
{DatingConventionLabel}	Dating convention label
{DatingConventionValue}	Dating convention value in the format YYYYmmDD
{DocumentName}	The defined document name by the user in the Document properties. The option <b>Original file name</b> includes the file name extension {DocumentId} --> The document counter Id

There are three types of templates:

#### 4. Display template

This template is used for document names when displaying documents in the Trial Master File view:

The screenshot shows the eTMF Trial Master File interface. At the top, there are filters for 'Trial level', 'All sites', and 'All milestones'. Below these are summary statistics: 12 zones, 51 sections, 260 artifacts (22% contain documents), 203 artifacts missing required documents, and 23 documents (9 flagged by QC, 10 awaiting review, 4 finalized). A search bar is present. The main area displays a list of documents under the heading 'Artifacts & documents in Trial Management | Trial Oversight'. A 'Drop Zone' sidebar on the left shows 'Shared' (11) and 'Private' (7) items, and 'Zone & sections' including Trial Management, Trial Oversight, Trial Team, Trial Committee, and Meetings. The document list includes entries like 'Multiple countries-Multiple sites 20211001 Quality Document', '- 20220118 Quality Plan', 'AU-2 20210818 ABSc', 'AU- 20210913 Quality Report', 'IQ-2 20211109 Quality Report', 'Multiple countries- 20210928 This is my cool name', and 'IQ- 20210818 abc'. A yellow box highlights the first document entry.

#### 5. Download template

This template is used for document names when downloading the latest version of the document:

The screenshot shows the eTMF interface with the following details:

- Header:** eTMF - Trial Master File
- Filters:** Trial level, All sites, All milestones
- Summary:** 12 zones, 51 sections, 260 artifacts (22% contain documents), 203 artifacts missing required documents, 23 documents (9 flagged by OC, 10 awaiting review, 4 finalized)
- Search:** Search documents
- Table:**

Drop Zone	#	Artifacts & documents	in	Trial Management	Trial Oversight	
Shared	11	Quality Plan				1 4 2 17
Private	7					
<b>Zone &amp; sections</b>						
Trial Management	8 6 4 25					
Trial Oversight	6 6 4 25					
Trial Team	2 0 0 0					
Trial Committee	0 0 0 0					
Meetings	0 0 0 0					
General	0 0 0 0					
- Document List:**
  - Multiple countries-Multiple sites 20211001 Quality Document (2022-01-31 12:16 by Lina Gaggi (881) | Canberra, Baghdad)
  - 20220118 Quality Plan (2022-01-31 12:15 by Lina Gaggi (881) | Trial)
  - AU-2 20210818 ABSc (2022-01-31 12:15 by Lina Gaggi (881) | Canberra)
  - AU- 20210913 Quality Report (2022-01-31 12:15 by Lina Gaggi (881) | Australia)
  - IQ-2 20211109 Quality Report (2022-01-31 12:14 by Lina Gaggi (881) | Baghdad)
  - Multiple countries- 20210928 This is my cool name (2021-11-01 13:54 by System(0) | Iraq, Australia)
  - IQ- 20210818 abc (2021-08-18 09:18 by Lina Net (1546) | Iraq)
- Taskbar:** A notification for 'Unicorns - Multipl...xlsx' is shown, with a 'Show all' button.

The screenshot shows the Windows Downloads folder with the following details:

- Header:** Downloads, Search downloads
- Content:**
  - Today
  - Unicorns - Multiple countriesMultiple sites Artifact 01.01.03 - Quality Document (2).xlsx
  - https://jk14hbyznea1sipfsm8zla.blob.core.windows.net/studycontainer/da4125af-70...
  - Show in folder

### 6. Archive template

This template is used for document names when archiving documents. The name of documents in the archive will always be followed by a hyphen and the latest version of the document, that is {DocumentVersion}. The example below shows 3 versions of the same document in the archive:



eTMF | TMF Archive

The file is available for download until a new file is generated. Make sure to download the existing file if you need it. Generating a new file will replace the existing one.

**Unicorns\_eTMFArchive\_20220131112821.zip**  
5.04 MB, Generated Unicorns\_eTMFArchive\_20220131112821.zip  
eTMF - EMS repository  
Sponsor, Investigator, Trial level. All countries, All sites, All milestones

**Generate a new file**

eTMF - EMS repository

Include

TMF side:

Trial level documents:

Country level documents:

Site level documents:

Filter by

Milestones:

**Generate**

Unicorns\_eTMFArc...zip Show all

File Explorer: Extract | au

Unicorns\_eTMFArchive\_20220131112821.zip > 20220131112821 > 01.trial management > 01.01.trial oversight > 01.01.03.quality plan > au

Name	Type	Compressed size	Password protected	Size
canberra	File folder			
Quality Report-01.xlsx	Microsoft Excel Worksheet	46 KB	No	
Quality Report-02.xlsx	Microsoft Excel Worksheet	6 KB	No	
Quality Report-03.txt	Text Document	1 KB	No	

**Note!** The system validates values written inside curly brackets as document name variables, and error messages will be displayed if these values are not recognized as valid variables by the system.

### 7. Populate TMF level value automatically

Selecting this option automatically fills in the field **TMF level** in the **Document properties** dialog in the Trial Master File view (when there is only one TMF level option available for the user for the selected document). This means that users will not need to explicitly select a TMF level for documents that they upload or move. This option is **deselected by default** for studies that started before the release of Viedoc 4.70. For studies starting after the release of Viedoc 4.70, the option is **selected by default**.

### 8. Show zone, section, and artifact numbers (TMF Admin and Structure page)

When this option is selected, the Structure page in the Trial Master File view and the **TMF structure** tab in the TMF Admin view display the zone, section, and artifact numbers and names in the same way as in the tooltip text that is displayed when hovering over them.

The option is **deselected by default** for studies that started before the release of Viedoc 4.73. For studies starting after the release of Viedoc 4.73, the option is **selected by default**.



eTMF access use cases

## eTMF access use cases

Published by Viedoc System 2023-03-07

### [1. Study roles, eTMF roles, and permissions](#)

### [2. Scenarios](#)

### [3. Frequently asked questions](#)

[3.1 Why can't the end user see the artifact?](#)

[3.2 Why can the end user see the artifact but not upload or edit?](#)

[3.3 Why can the end user see the artifact but not review or approve?](#)

[3.4 Why can the end user only see their own documents in the drop zone?](#)

[3.5 Why can the end user manage the drop zone documents but not see applicable artifacts or not choose the wanted TMF level when classifying the document?](#)

## 1 Study roles, eTMF roles, and permissions

The following table lists a number of tasks that study users can face, together with the eTMF roles, the Viedoc Clinic site groups, and the eTMF level access that they would need to perform the respective task.

For more information about site groups, see [Managing users](#) and [Managing study sites](#).

Study role	Task	eTMF role	Viedoc Clinic site group	eTMF level access	Permissions	Comments
Study coordinator General site user	Drop documents in the shared drop zone	Site staff - customized with no access for all artifacts	Site	No access to all artifacts	None	
Study coordinator General site user	View, file, and classify site-level documents, view some artifacts on country and study levels, archive the Investigator site TMF	Site staff	Site	Write access to pre-defined artifacts on site level, read access to pre-defined artifacts on study, site, and country levels	1. Archive Investigator TMF	

Study role	Task	eTMF role	Viedoc Clinic site group	eTMF level access	Permissions	Comments
Project manager	File study-level documents, view all sponsor-side documents, archive the sponsor TMF, download audit trail, and see TMF settings and structure	Sponsor study	All production sites*		1. Download audit trail  2. Archive sponsor TMF  3. Read-only TMF Admin	*Clinic access needs to be on study level and not every site one by one, otherwise the write permission will be translated to read permission.
Monitor	File site-level documents, view all documents for the study, my country, and my site, manage drop zone documents, review site level documents	Sponsor site  Reviewer*	Site**	Write and review access on site level  Read access on all levels	1. Manage drop zone	*Although the role sheet grants review rights for study and country level documents too, the end user will only have read rights to those documents, as long as they are not invited on study or country level for their clinic role.  **Clinic access needs to be given to all applicable sites.
Country manager  Trial manager	File country-level documents, view all sponsor-side documents at all levels and review all documents	Sponsor country  Reviewer	All production sites*			*Clinic access needs to be on study level and not every site one by one, otherwise the review permission will be translated to read permission.

Study role	Task	eTMF role	Viedoc Clinic site group	eTMF level access	Permissions	Comments
<p>Read-only role</p> <p>Regulatory inspector</p>	<p>Read-only access to all documents* and settings</p> <p>Access to audit trail</p>	No role, permissions only	All production sites**		<p>1. Read-only Trial Master File*</p> <p>2. Read-only TMF Admin</p> <p>3. Download audit trail</p>	<p>*If read-only Trial Master File permission is assigned, any NO ACCESS permission will be overridden by read access by the system. This means that all artifacts set as optional or required (including blinded and investigator-side artifacts) will be visible. These permissions should be reserved for a role that requires all access, such as a regulatory inspector.</p> <p>**Clinic access needs to be on study level and not every site one by one, otherwise the review permission will be translated to read permission.</p>
<p>Unblinded role</p> <p>Sponsor or statistician</p>	View, file, and classify blinded documents only on all levels	Sponsor unblinded	All production sites*	<p>Write access to blinded documents on study level and site level (when applicable)</p> <p>No access to non-applicable documents on all levels</p>	1. Download audit trail	*Clinic access needs to be on study level and not every site one by one, otherwise the review permission will be translated to read permission.

The following table contains examples of common use case scenarios together with the requisites for performing them.

Scenario	Requisites
<p>Drop zone: As a <b>General site user</b>, I want to be able to drop site-generated or site-signed documents in the drop zone.</p>	<ul style="list-style-type: none"> <li>▪ The user is invited to a clinic role for a specific site.</li> <li>▪ The eTMF role mapped has NO ACCESS for all levels and artifacts.</li> </ul>
<p>eISF: As a <b>General site user</b>, I want to be able to file pre-defined documents on site level, view some artifacts on study and country levels and archive the Investigator site TMF/eISF.</p>	<ul style="list-style-type: none"> <li>▪ The user is invited to a clinic role for a specific site.</li> <li>▪ The eTMF role mapped has WRITE access to pre-defined artifacts on site level, READ access to pre-defined artifacts on Study level and Country level. The role sheet Site staff can act as a starting point.</li> <li>▪ The eTMF role mapped has the permission Archive investigator TMF.</li> <li>▪ Artifact is Optional or Required in the sheet Viedoc Extensions, as Not Permitted in Viedoc extensions will override any permission in the role sheets to NO ACCESS.</li> </ul>
<p>As a <b>Project manager</b>, I want to be able to file documents at study level, view all sponsor-side documents at all levels in the study, archive the TMF (sponsor side), download the audit trail, and see the TMF settings and structure.</p>	<ul style="list-style-type: none"> <li>▪ The user is invited to a clinic role that has a mapped eTMF role with WRITE access to Study and READ access to Country and Site in the role sheets. Role SPONSOR-STUDY can act as a starting point.</li> <li>▪ The user needs to be invited on study level (All sites) in Viedoc to gain WRITE access. Otherwise, the WRITE permission will be translated to READ.</li> <li>▪ The user is invited to a clinic role that has the mapped eTMF permissions Archive sponsor TMF, Download audit trail, and Read-only Trial Master File.</li> <li>▪ Artifact is Optional or Required in the sheet Viedoc extensions, as Not Permitted in Viedoc extensions will override any permission in the role sheets to NO ACCESS.</li> </ul>
<p>As a <b>Monitor</b>, I do not have access to patient information documents on site level. I file site-level documents that belong on the sponsor-side TMF, view documents for my country and the study, manage drop zone documents, and review site-level documents.</p>	<ul style="list-style-type: none"> <li>▪ The user is invited to a clinic role that has a mapped eTMF role with WRITE access to Site and READ access to Country and Study in the role sheets. The sheet Role SPONSOR-SITE can act as a starting point.</li> <li>▪ The user is invited to a clinic role that has an eTMF role with REVIEW access to all artifacts that the review is to be performed on. The sheet Role SPONSOR-REVIEWER can act as a starting point.</li> <li>▪ The user needs to be invited to all applicable sites in Viedoc.</li> <li>▪ The user is invited to a clinic role that has the mapped eTMF permission Manage drop zone.</li> <li>▪ Artifact is Optional or Required in the sheet Viedoc extensions, as Not Permitted in Viedoc extensions will override any permission in the role sheets to NO ACCESS.</li> </ul>

Scenario	Requisites
<p>As a <b>Country Manager</b> or a <b>Trial Manager</b>, I want to be able to file documents at country level, view all sponsor-side documents at all levels in the study, and review all sponsor-side documents.</p>	<ul style="list-style-type: none"> <li>▪ The user is invited to a clinic role that has a mapped eTMF role with WRITE access to Country and READ access to Study and Site in the role sheets. The sheet Role SPONSOR-COUNTRY can act as a starting point.</li> <li>▪ The user is invited to a clinic role that has an eTMF role with REVIEW access to all artifacts that the review is to be performed on. The sheet Role SPONSOR-REVIEWER can act as a starting point.</li> <li>▪ The user needs to be invited on study level (All sites) in Viedoc to gain REVIEW access to all documents per the role sheet. Otherwise, the REVIEW permission will be translated to READ.</li> <li>▪ Artifact is Optional or Required in the sheet Viedoc extensions, as Not Permitted in Viedoc extensions will override any permission in the role sheets to NO ACCESS.</li> </ul>
<p>As a <b>Regulatory Inspector</b>, I want to have read-only access to all documents (sponsor side and investigator side), TMF settings, and access to the audit trail.</p>	<ul style="list-style-type: none"> <li>▪ The user is invited to a clinic role that has the mapped eTMF permission Read-only Trial Master File, Read-only TMF Admin and Download audit trail.</li> <li>▪ The user needs to be invited on study level (All production sites) in Viedoc.</li> <li>▪ Artifact is Optional or Required in the sheet Viedoc extensions, as Not Permitted in Viedoc extensions will override any permission in the role sheets to NO ACCESS.</li> </ul>
<p>As an <b>Unblinded Statistician</b>, I want to view, file, and classify blinded documents only on all levels.</p>	<ul style="list-style-type: none"> <li>▪ The user is invited to a clinic role that has a mapped eTMF role with WRITE and READ access to unblinded artifacts in the role sheets. The sheet Role SPONSOR-UNBLINDED can act as a starting point.</li> <li>▪ The user needs to be invited on study level (All sites) in Viedoc to gain WRITE access to all documents per the role sheet. Otherwise, the WRITE permission will be translated to READ.</li> <li>▪ Artifact is Optional or Required in Viedoc extensions, as Not Permitted in Viedoc extensions will override any permission in the role sheets to NO ACCESS.</li> </ul>

## 3 Frequently asked questions

### 3.1 Why can't the end user see the artifact?

Check	To resolve
<p>Check that the user is invited to a clinic role with a mapped eTMF role with at least Read to the artifact at the expected level.</p>	<p>Invite the user to a clinic role with a mapped eTMF role with read/write permissions to the artifact or edit the roles and accesses for the artifact in TMF Admin maintenance mode.</p>
<p>Check that the artifact itself is Optional or Required at the expected level, as Not permitted documents will override any role access for the artifact.</p>	<p>Edit the trial/country/site level settings for the artifact in TMF Admin maintenance mode.</p>

### 3.2 Why can the end user see the artifact but not upload or edit?

Check	To resolve
Check that the user is invited to a clinic role with a mapped eTMF role with Write access to the artifact at the expected level.	Invite the user to a clinic role with a mapped eTMF role with write permission to the artifact or edit the roles and accesses for the artifact in TMF Admin maintenance mode.
Check that the user is invited to a clinic role on at least Country level (for write permission to Country level documents) or Study level, All production sites (for write permission to Study level documents), otherwise Write will be translated to Read.	Invite the user to a clinic role on at least Country level (for write permission to Country level documents) or Study level, All production sites (for write permission to Study level documents).

### 3.3 Why can the end user see the artifact but not review or approve?

Check	To resolve
Check that the user is invited to a clinic role with a mapped eTMF role with Review access to the artifact at the expected level.	Invite the user to a clinic role with a mapped eTMF role with review permission to the artifact or edit the roles and accesses for the artifact in TMF Admin maintenance mode.
Check that the user is invited to a clinic role on at least Country level (for review permission to Country level documents) or Study level, All production sites (for review permission to Study level documents), otherwise Review will be translated to Read.	Invite the user to a clinic role on at least Country level (for write permission to Country level documents) or Study level, All production sites (for write permission to Study level documents).

### 3.4 Why can the end user only see their own documents in the drop zone?

Check	To resolve
Check that the user is invited to a clinic role with a mapped eTMF permission Manage drop zone.	Map the Manage drop zone permission to the applicable clinic role.

### 3.5 Why can the end user manage the drop zone documents but not see applicable artifacts or not choose the wanted TMF level when classifying the document?

Check	To resolve
Check that the user is invited to a clinic role with a mapped eTMF role with Write access to the artifact at the expected level.	Invite the user to a clinic role with a mapped eTMF role with write permission to the artifact or edit the roles and accesses for the artifact in TMF Admin maintenance mode.
Check that the user is invited to a clinic role on at least Country level (for write permission to Country level documents) or Study level, All production sites (for write permission to Study level documents), otherwise Write will be translated to Read.	Invite the user to a clinic role on at least Country level (for write permission to Country level documents) or Study level, All production sites (for write permission to Study level documents).



**Viedoc eLearning © PCG Solutions 2009-2024**

No part of this user guide may be modified, copied or distributed without prior written consent from Viedoc Technologies. The information contained herein is subject to change without notice. Viedoc Technologies shall not be liable for technical or editorial errors or omissions contained herein.

Version 2.1